

ZERO 702 NEW BATTERY DRIVEN SCISSOR

Zero702. Zero cord. Zero problems. Maximum Power.





Speed regulator

ACCESSORIES:

BAT18, Extra Battery 18 V 3.0 Ah Li-lon® **CH01**, Standard Charger (55 min) | **CH02**, Fast Charger (30 min)







NEW BATTERY DRIVEN SCISSOR

WHAT'S NEW:

Li-lon® Technology, 3.0 Ah New powerful motor 400 W Charge status indicator LED



BLADES AVAILABLE:

70SHSS, 70 mm 4-edges, HSS steel **70EHSS**, 70 mm 6-edges, HSS steel | **70CHSS**, 70 mm circular, HSS steel | 70DHSS, 70 mm 10-edges, HSS steel | 70SHSSTF, 70 mm 4-edges, HSS steel Teflon® coated | **70EHSSTF** 70 mm 6-edges, HSS steel Teflon® coated | **70EMD**, 70 mm 6-edges, Carbide (Widia®)

ZERO702

RASOR ELETTROMECCANICA SRL

Via Vincenzo Caldesi 6 • 20161 Milan · Italy ph. +39 02 66 22 12 31 • fax +39 02 66 22 12 93 info@rasor-cutters.com

www.rasor-cutters.com

TECHNICAL DETAILS:

Blade diameter: 70 mm (2.75"), with hard metal counterblade

Blade equipped: 70SHSS, 4-edges, HSS steel **Blade speed:** 600-1000 r.p.m. adjustable

Cutting ability: 20 mm (0.8")

Power: 18 V, 400 W

Battery: 18 V Li-lon®, 3.0 Ah rechargeable with led indicator

Net weight: 1900 g (with battery)

Total weight (with packing box): 4400 q

Minimum brightness for working operations: LUX 200

Vibrations at start up: < 2.5 m/sec 2

Temperature range: $0 - 55 \, \text{C}$

Umidity range: 10 - 95% without condensate

